

## ILUMYA MEDICATION ORDER

Patient's Name (Last, First, Middle) \_\_\_\_\_ DOB: \_\_\_\_\_

### ■ Diagnosis

L40.0 Plaque psoriasis  \_\_\_\_\_ Other: \_\_\_\_\_

### ■ Details Needed for Authorization

- Proof of patient's negative latent TB test. If test is positive, proof that patient has begun therapy for latent TB.
- Is patient concurrently being treated with any other biologic response modifier, Biologic DMARD or other non-biologic immunomodulating agent (such as apremilast)? \_\_\_\_\_
- Is the ordering provider a dermatologist or has consulted with a dermatologist? \_\_\_\_\_
- Has the patient tried and had an inadequate response to a least one conventional agent (such as acitretin, calcipotriene, cyclosporine, methotrexate, PUVA, tacrolimus, topical corticosteroids) for at least three months, or have an intolerance or contraindication to all conventional treatments?
- Does the patient have severe active plaque psoriasis (eg, >10% BSA, occurrence in delicate areas, intractable pruritis, etc.)? \_\_\_\_\_
- Does the patient have psoriasis with concomitant severe psoriatic arthritis? \_\_\_\_\_

Patient's height in ft/in: \_\_\_\_\_ Patient's weight in lbs: \_\_\_\_\_

### ■ Ilumya (ildrakizumab-asmn) Medication Order

 Select all as appropriate.

Initial phase of 100mg SubQ injection at weeks 0 and 4. (If maintenance also ordered, first dose is at week 16.)

Maintenance phase of 100mg SubQ injection every 12 weeks (+/- 5 days) for \_\_\_\_\_ months.

*Let the Ilumya carton come to room temperature. Choose an injection site per the manufacturer's instructions, inject the full amount in the syringe, and discard in a sharps box.*

### ■ Rescue Management in case of Reaction

*These include fever, chills, rigors, headache, rash, itching, swelling, edema, nausea, vomiting, abdominal pain, hypotension, and respiratory distress.*

- Follow standing reaction orders, including diphenhydramine, methylprednisolone, albuterol and oxygen as needed.
- For severe reactions, administer Epi-pen or equivalent and call 911. Repeat if severe symptoms persist.
- Call ordering provider to report reaction.

### ■ Ordering Provider Authorization

Provider's Signature: \_\_\_\_\_ Name: \_\_\_\_\_ Date: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ NPI #: \_\_\_\_\_ License: \_\_\_\_\_

Best Contact Person in Office: \_\_\_\_\_ Direct Phone Line to Contact Person: \_\_\_\_\_

### STANDARD DOCUMENTATION TO INCLUDE:

- Patient demographics and insurance, including card scans (both medical and pharmacy benefit cards, both sides).
- Most recent chart notes and, if available, last history and physical. All relevant scans, tests and laboratory results.
- If new medication for patient, chart notes which include decision to begin treatment. If not, provide last treatment date.

**Fax this order and supporting documentation to (732) 329-2322.**